



FASTBACK®
MODEL 260E-G3 (G3)
HORIZONTAL MOTION CONVEYOR

THE LATEST EDITION OF THE
FASTBACK CONVEYOR, THE
INDUSTRY'S MOST RELIABLE



FOOD SAFETY FOCUSED

The G3 is built for washdown environments and simple sanitation. The stainless steel (SS), totally enclosed, fan-cooled (TEFC) motor package is external to the drive, which allows the drive to be completely sealed with an IP65-rated enclosure that protects against dust and water spray.

The G3's sensors and SS electrical cabinet are IP66 and NEMA 4X-rated, and the cabinet closes flush with the enclosure to prevent dust ledges. Also, its aisle-side access facilitates installation and maintenance.

With these key features, the G3's food-safety-focused design requires less time and labor for sanitation.





THE FASTBACK DIFFERENCE

Conveying during processing can damage product, disrupt its coatings, and expose it to contamination. The ideal conveyors are both gentle and powerful, leaving product undamaged, coatings intact and uncontaminated, and surfaces easy to clean.

The G3 gently transports product by cycling through slow-forward and fast-back horizontal motion, which neither damages product nor disturbs coatings, and can dependably convey heavy loads.

- 5-year warranty
- Longest mean time to failure
- Lowest total cost of ownership
- High return on investment



PERFORMANCE | SAFETY | INTEGRITY

SAVINGS

Reduced product breakage and coating loss, maintained pre-mixed blends, total cost of ownership is approximately 1/15th of the nearest competition.

SANITARY

Sloped-top SS enclosure, self-draining water-resistant SS cabinet.

SERVICEABLE

Aisle-side electrical cabinet simplifies maintenance, external TEFC motor for easy access and cool operation, no preventive maintenance.

SILENT

Quiet operation, low vibration and dynamic load for a lighter support structure.

STABLE

10-year mean time before failure, 5-year drive train warranty.

FASTBACK MODEL | 260E-G3

HORIZONTAL MOTION CONVEYOR

The fastest product travel rate of any horizontal motion conveyor, delivering twice the rate of comparable conveyors and making it ideal for high-volume production.

For manufacturers who demand the best performance while maintaining food safety and product integrity, the FastBack 260E-G3 sets a new benchmark for sanitary horizontal motion conveyors.

Target Applications

- Snack foods and bakery
- Frozen fruits and vegetables
- Confectionary
- Cereal
- Pet food
- Any product which readily conveys on a FastBack
- Meat and poultry
(washdown version design pending)
- French fries
(larger diameter design pending)



With hundreds of applications and a complete testing center to support your requirements, Heat and Control can bring knowledge, experience, and technology to your next project.

HEAT AND CONTROL

®

www.heatandcontrol.com | info@heatandcontrol.com